INDEX TO AUTHORS

A

Ambrose, Anthony M., Power, Francis W., and **Sherwin, Carl P.** Further studies on the detoxication of phenylacetic acid, 669

Anderson, R. J., and **Newman, Melvin S.** The chemistry of the lipids of tubercle bacilli. XXXIII. Isolation of trehalose from the acetone-soluble fat of the human tubercle bacillus, 499

— and —. XXXIV. Isolation of a pigment and of anisic acid from the acetone-soluble fat of the human tubercle bacillus, 773

—. See PANGBORN and ANDERSON, 105

Andrews, James C., and **Johnston, Charles G.** The absorption of certain sulfur compounds from intestinal loops of dogs, 635

B

Babers, Frank H. See GOEBEL and BABERS, 173

Bakwin, Harry, and **Bodansky, Oscar.** Factors influencing the measurement of the phosphatase activity of tissue extracts, 641

Barbour, A. D. The deposition and utilization of hydrogenation isooleic acid in the animal body, 63

Baumann, C. A., and **Steenbock, H.** Fat-soluble vitamins. XXXVI. The carotene and vitamin A content of butter, 547

— and —. XXXVII. The stability of carotene solutions, 561

Bergman, H. C. See MACKAY and BERGMAN, 453

Beutner, R., Caplan, M., and **Loehr, W. M.** The nature of the alleged molecular sieve membranes, 391

Bigelow, Newell M. See JACOBS and BIGELOW, 15, 697

Bing, Franklin C. See EVELETH, BING, and MYERS, 359

—. See HEINLE and BING, 369

Bodansky, Aaron. Phosphatase studies. II. Determination of serum phosphatase. Factors influencing the accuracy of the determination, 93

Bodansky, Oscar. See BAKWIN and BODANSKY, 641

Bonoff, R. See BODANSKY, 93

Bordley, James, 3rd, Hendrix, James P., and **Richards, A. N.**

XUM

Hendrix, James P. See Bordley, Hendrix, and Richards, 255

Hill, Douglas W. See Levene and Hill, 711

Himwich, Harold E. See Goldfarb and Himwich, 441

Hodge, Harold Carpenter. Gingival tissue lipids, 55

Hubbard, Roger S., Munford, Samuel A., and **Tyner, James.** The relationship between gastric secretion and the alkaline tide in urine, 781

J

Jacobs, Walter A., and **Bigelow, Newell M.** Ouabain. II. The degradation of isoouabain, 15

— and —. Trianhydroperiplogenin, 697

Jaleski, Thomas C. See Underhill and Jaleski, 11

Jewel, Paul W. See Deuel, MacKay, Jewel, Gulick, and Grunewald, 301

Johnson, M. J., Peterson, W. H., and **Fred, E. B.** Intermediary compounds in the acetone-butyl alcohol fermentation, 145

Johnston, Charles G. See Andrews and Johnston, 635

Jones, D. Breese, and **Gersdorff, Charles E. F.** Studies on digestibility of proteins *in vitro*. V. Rate of liberation of cystine on hydrolysis of casein. Some observations on colorimetric tests for cystine when applied to peptic and acid digests of casein, 657

K

Kleiber, M. Contribution to the method of gas analysis for respiration trials, 583

Kleiner, Israel S., and **Halpern, Rebecca.** Fluctuations of the blood sugar *in vitro*, 535

Kraybill, Henry R. See Shrewsbury and Kraybill, 701

L

Lantz, Edith M. See Smith and Lantz, 677

Lasker, Margaret, and **Enklewitz, Morris.** A simple method for the detection and estimation of *l*-xyloketose in urine, 289

Lavine, Theodore F., and **Toennies, Gerrit.** The oxidation of cystine in non-aqueous media. II. Studies on the hydration of acetonitrile and acetic anhydride by a non-aqueous titration method, 727

Levene, P. A., and **Harris, Stanton A.** The ribosephosphoric acid from yeast adenylic acid, 419

— and **Hill, Douglas W.** On a dipeptide phosphoric acid isolated from casein, 711

— and **Marker, R. E.** Configurational relationship of isopropylcarbinols, 413

— and **Tipson, R. Stuart.** The ring structure of uridine, 529

Levin, Louis. See MacCorquodale, Levin, Thayer, and Doisy, 753

Levine, Victor E., and **Richman, Eudice.** The antimony trichloride reaction with compounds containing five-membered monoheterocyclic rings, 373

Lewis, Howard B. See CHASE and LEWIS, 735

—. See SILBERMAN and LEWIS, 741

Link, Karl Paul. See NIEMANN, SCHOEFFEL, and LINK, 337

Loehr, W. M. See BEUTNER, CAPLAN, and LOEHR, 391

M

MacCorquodale, D. W., Levin, Louis, Thayer, Sidney A., and **Doisy, Edward A.** The oxidation of theelin and some theelol derivatives, 753

MacKay, Eaton M., and **Bergman, H. C.** The rate of absorption of glucose from the intestinal tract, 453

—. See DEUEL, MACKAY, JEWEL, GULICK, and GRUNEWALD, 301

Man, Evelyn B., and **Peters, John P.** Gravimetric determination of serum cholesterol adapted to the Man and Gildea fatty acid method, with a note on the estimation of lipoid phosphorus, 685

Marker, R. E. See LEVENE and MARKER, 413

Markley, K. S., and **Sando, Charles E.** The melting point of naturally occurring *n*-nonacosane. A correction, 431

Morgan, Agnes Fay. See SMITH and MORGAN, 43

Müller, Eugen, and **Page, Irvine H.** The preparation of aliphatic cholesteryl ethers and cholesterilene, 127

Munday, Betty. See SEIBERT and MUNDAY, 763

Munford, Samuel A. See HUBBARD, MUNFORD, and TYNER, 781

Myers, Victor C. See EVELETH, BING, and MYERS, 359

N

Newman, Melvin S. See ANDERSON and NEWMAN, 499, 773

Niemann, Carl, Schoeffel, Eugene, and **Link, Karl Paul.** Substituted hydrazine derivatives of the hexuronic acids. Phenylhydrazine and *p*-bromophenylhydrazine derivatives of *d*-galacturonic acid and *p*-bromophenylhydrazine derivatives of *d*-mannuronic acid, 337

Nims, Leslie Frederick, and **Smith, Paul K.** The ionization of *dl*-alanine from twenty to forty-five degrees, 401

P

Page, Irvine H. See MÜLLER and PAGE, 127

Palmer, Walter W. See HEIDELBERGER and PALMER, 433

Pangborn, Mary C., and **Anderson, R. J.** The chemistry of the lipids of tubercle bacilli. XXXII. Isolation of trehalose from the timothy-grass bacillus, 105

Peters, John P. See MAN and PETERS, 685

XUM

Peterson, W. H. See JOHNSON, PETERSON, and FRED, 145

Platt, Muriel E. See SCHROEDER, WOODWARD, and PLATT, 133

Poindexter, Charles A. See BRUGER and POINDEXTER, 21

Power, Francis W. See AMBROSE, POWER, and SHERWIN, 669

Powers, Harry H., and **Reis, Frederick.** The effect of insulin on amino acid and urea nitrogen in laked and unlaked blood, 523

Q

Quick, Armand J. The relationship between chemical structure and physiological response. IV. Conjugation of salicylic acid with glycine and its action on uric acid excretion, 475

R

Reis, Frederick. See POWERS and REIS, 523

Reisinger, John A. See WALKER and REISINGER, 223

Richards, A. N., Bordley, James, 3rd, and **Walker, Arthur M.** Quantitative studies of the composition of glomerular urine. VII. Manipulative technique of capillary tube colorimetry, 179

—. See BORDLEY, HENDRIX, and RICHARDS, 255

—. See BORDLEY and RICHARDS, 193

Richman, Eudice. See LEVINE and RICHMAN, 373

S

Sahyun, Melville. Some observations on blood phosphate, 295

Sando, Charles E. See MARKLEY and SANDO, 431

Sands, Lila, and **Gary, Wilbur Y.** The hemicelluloses of mesquite wood, 573

Schoeffel, Eugene. See NIEMANN, SCHOEFFEL, and LINK, 337

Schoenbach, E. B. See CONANT, CHOW, and SCHOENBACH, 463

Schroeder, E. F., Woodward, Gladys E., and **Platt, Muriel E.** The relation of sulfhydryl to inhibition of yeast fermentation by iodoacetic acid, 133

Seibert, Florence B., and **Munday, Betty.** Chemical composition of the active principle of tuberculin. XVII. A comparison of the nitrogen partition analyses of the proteins from different acid-fast bacilli and the relationship to biological activity, 763

Sherwin, Carl P. See AMBROSE, POWER, and SHERWIN, 669

Shrewsbury, Charles L., and **Kraybill, Henry R.** The carotene content, vitamin A potency, and antioxidants of butter fat, 701

Silberman, Alfred K., and **Lewis, Howard B.** Pentose metabolism. III. The rate of absorption of *l*-rhamnose and the formation of glycogen in the

organism of the white rat after oral administration of *l*-rhamnose, 741

Simonsen, Daisy G. The oxidation of cysteine with iodine: formation of a sulfinic acid, 35

Smith, Laura Lee W., and **Morgan, Agnes Fay.** The effect of light upon the vitamin A activity and the carotenoid content of fruits, 43

Smith, Margaret Cammack, and **Lantz, Edith M.** The effect of the feeding of fluorides upon the chemical composition of the teeth and bones of albino rats, 677

Smith, Paul K. See NIMS and SMITH, 401

Steenbock, H. See BAUMANN and STEENBOCK, 547, 561

T

Thayer, Sidney A. See MACCORQUODALE, LEVIN, THAYER, and DOISY, 753

Tipson, R. Stuart. See LEVENE and TIPSON, 529

Toennies, Gerrit. See LAVINE and TOENNIES, 727

Tyner, James. See HUBBARD, MUNFORD, and TYNER, 781

U

Underhill, Frank P., and **Jaleski, Thomas C.** The calcium and potassium content of dog tissues and the influence of thyroparathyroidectomy, 11

V

du Vigneaud, Vincent, Dyer, Helen M., and **Harmon, J.** The growth-promoting properties of homocystine when added to a cystine-deficient diet and the proof of structure of homocystine, 719

W

Walker, Arthur M. Comparison of the chemical composition of aqueous humor, cerebrospinal fluid, lymph, and blood from frogs, higher animals, and man. Reducing substances, inorganic phosphate, uric acid, urea, 269

—. Quantitative studies of the composition of glomerular urine. X. The concentration of inorganic phosphate in glomerular urine from frogs and *Necturi* determined by an ultramicromodification of the Bell-Doisy method, 239

— and **Reisinger, John A.** Quantitative studies of the composition of glomerular urine. IX. The concentration of reducing substances in glomerular urine from frogs and *Necturi* determined by an ultramicroadaptation of the method of Sumner. Observations on the action of phlorhizin, 223

—. See RICHARDS, BORDLEY, and WALKER, 179

Waller, Dorothy S. See WILEY, WILEY, and WALLER, 73

West, Edward S. See FREIBERG and WEST, 449

XUM

Wiley, Frank H., and **Wiley, Leona L.** The inorganic salt balance during dehydration and recovery, 83

—, **Wiley, Leona L.,** and **Waller, Dorothy S.** The effect of the ingestion of sodium, potassium, and ammonium chlorides and sodium bicarbonate on the metabolism of inorganic salts and water, 73

Wiley, Leona L. See WILEY and WILEY, 83

—. See WILEY, WILEY, and WALLER, 73

Woodward, Gladys E. See SCHROEDER, WOODWARD, and PLATT, 133

XUM

INDEX TO SUBJECTS

Entries are not made for physical constants or properties, but only under the substance in question. Thus, the *Absorption curve of carbon dioxide* will be found only under *Carbon dioxide; Optical rotation of glucose*, only under *Glucose*.

Similarly, physiological phenomena such as *Absorption, Assimilation, Digestion, Equilibrium, Excretion, Fermentation, Metabolism, Respiration*, etc., are not indexed as such, but only under the substance in question.

When a definite constituent is given in connection with *Biological fluids, Biological material, Blood, Blood cell, Blood plasma, Blood serum, Diet, Milk, Tissues, Urine*, the constituent only is indexed; *i.e., Cholesterol in blood*, etc., is indexed under *Cholesterol*, not under *Blood*, etc. However, *Blood sugar* is indexed as such.

A

Acetic acid:
Iodo-, yeast fermentation inhibition, sulfhydryl relation (SCHROEDER, WOODWARD, and PLATT) 133
Phenyl-, detoxication (AMBROSE, POWER, and SHERWIN) 669

Acetic anhydride:
Hydration, non-aqueous titration method (LAVINE and TOENNIES) 727

Acetone:
-Butyl alcohol fermentation, intermediary compounds (JOHNSON, PETERSON, and FRED) 145

Acetonitrile:
Hydration, non-aqueous titration method (LAVINE and TOENNIES) 727

Adenylic acid:
Yeast, ribosephosphoric acid from (LEVENE and HARRIS) 419

Air:
Respiration chamber, analysis (CARPENTER) 595

***dl*-Alanine:**
Ionization (NIMS and SMITH) 401

Alkaline tide:
Urine, gastric secretion, relation (HUBBARD, MUNFORD, and TYNER) 781

Amino acid(s):
Nitrogen, blood, determination (DANIELSON) 505
—, —, insulin effect (POWERS and REIS) 523
Trivalent, peptides. III (GREENSTEIN) 603

XUM

Ammonium chloride:
Inorganic salts, metabolism, ingestion effect (WILEY, WILEY, and WALLER) 73
Water metabolism, ingestion effect (WILEY, WILEY, and WALLER) 73
Anemia:
Nutritional. VII (EVELETH, BING, and MYERS) 359
VIII (HEINLE and BING) 369
—, iron, parenteral administration (EVELETH, BING, and MYERS) 359
Anisic acid:
Isolation, tubercle bacillus, human, acetone-soluble fat (ANDERSON and NEWMAN) 773
Antimony trichloride:
Monoheterocyclic ring compounds, 5-membered, reaction (LEVINE and RICHMAN) 373
Antioxidant:
Butter fat (SHREWSBURY and KRAYBILL) 701
Aqueous humor:
Cerebrospinal fluid, lymph, and blood, comparison (WALKER) 269
Inorganic phosphate, frog and higher animals (WALKER) 269
Reducing substances, frog and higher animals (WALKER) 269
Urea, frog and higher animals (WALKER) 269
Aqueous humor—*continued:*
Uric acid, frog and higher animals (WALKER) 269
Arginine:
Peptide, physical constants (GREENSTEIN) 603
Aspartic acid:
Peptide, physical constants (GREENSTEIN) 603
Synthesis (DUNN and FOX) 493

B

Bacillus:
Acid-fast, biological activity, proteins, nitrogen partition, relation (SEIBERT and MUNDAY) 763
Timothy-grass. *See* Timothy-grass bacillus.
Tubercle. *See* Tubercle bacillus.
Blood:
Aqueous humor, cerebrospinal fluid, and lymph, comparison (WALKER) 269
Blood cell:
Red, determination (HEINLE and BING) 369
Blood sugar:
In vitro (KLEINER and HALPERN) 535
Bone:
Fluoride feeding, effect (SMITH and LANTZ) 677
***p*-Bromophenylhydrazine:**
Derivatives, *d*-galacturonic acid (NIEMANN, SCHOEFFEL, and LINK) 337
—, *d*-mannuronic acid (NIEMANN, SCHOEFFEL, and LINK) 337

Butter:
Carotene (BAUMANN and STEENBOCK) 547
Vitamin A (BAUMANN and STEENBOCK) 547
Butter fat:
Antioxidants (SHREWSBURY and KRAYBILL) 701
Carotene (SHREWSBURY and KRAYBILL) 701
Vitamin A (SHREWSBURY and KRAYBILL) 701
Butyl alcohol:
Acetone-, fermentation, intermediary compounds (JOHNSON, PETERSON, and FRED) 145

C

Calcium:
Tissue, thyroparathyroidectomy effect (UNDERHILL and JALESKI) 11
Carbinols:
Isopropyl-, configurational relationship (LEVENE and MARKER) 413
Carotene:
Butter (BAUMANN and STEENBOCK) 547
— fat (SHREWSBURY and KRAYBILL) 701
Fruit, light effect (SMITH and MORGAN) 43
Solutions, stability (BAUMANN and STEENBOCK) 561
Casein:
Cystine determination, colorimetric (JONES and GERSDORFF) 657
Casein—*continued:*
Dipeptide phosphoric acid from (LEVENE and HILL) 711
Hydrolysis, cystine liberation rate (JONES and GERSDORFF) 657
Cerebrospinal fluid:
Aqueous humor, lymph, and blood, comparison (WALKER) 269
Inorganic phosphate, frog and higher animals (WALKER) 269
Reducing substances, frog and higher animals (WALKER) 269
Urea, frog and higher animals (WALKER) 269
Uric acid, frog and higher animals (WALKER) 269
Chemical constitution:
Physiological response, relationship. IV (QUICK) 475
Cholesterilene:
Preparation (MÜLLER and PAGE) 127
Cholesterol:
Blood plasma, urea ingestion effect (BRUGER and POINDEXTER) 21
— —, water ingestion effect (BRUGER and POINDEXTER) 21
— serum, determination (MAN and PETERS) 685
Cholesteryl ethers:
Aliphatic, preparation (MÜLLER and PAGE) 127

XUM

Colorimetry:
Capillary tube, technique (Richards, Bordley, and Walker) 179
Copper:
Reagent, Shaffer-Somogyi (Harding and Downs) 487
Creatinine:
Urine, glomerulus, frog (Bordley, Hendrix, and Richards) 255
Cysteine:
Oxidation, iodine, sulfinic acid formation (Simonsen) 35
Cystine:
Casein, acid digest, determination, colorimetric (Jones and Gersdorff) 657
— hydrolysis, liberation rate (Jones and Gersdorff) 657
—, peptic digests, determination, colorimetric (Jones and Gersdorff) 657
-Deficient diet, homocystine, growth-promoting properties (du Vigneaud, Dyer, and Harmon) 719
Homo-, chemical constitution (du Vigneaud, Dyer, and Harmon) 719
—, growth-promoting properties, cystine-deficient diet (du Vigneaud, Dyer, and Harmon) 719
Oxidation. II (Lavine and Toennies) 727

D

Dehydration:
Inorganic salt balance (Wiley and Wiley) 83
Diabetes:
Tissue, ketone substances, production and destruction (Goldfarb and Himwich) 441
Diacetylchloroglucuron:
Synthesis (Goebel and Babers) 173
Dipeptide:
Phosphoric acid, isolation, casein (Levene and Hill) 711

E

Enzyme:
See also Phosphatase.
Erythrocyte:
See Blood cell, red.

F

Fat:
Acetone-soluble, tubercle bacillus, human, anisic acid isolation (Anderson and Newman) 773
—, — —, —, pigment isolation (Anderson and Newman) 773
—, — —, —, trehalose isolation (Anderson and Newman) 499
-Soluble vitamins. XXXVI (Baumann and Steenbock) 547
XXXVII (Baumann and Steenbock) 561

Fluoride(s):
Feeding, bone effect (SMITH and LANTZ) 677
—, tooth effect (SMITH and LANTZ) 677
Fruit:
Carotene, light effect (SMITH and MORGAN) 43
Vitamin A, light effect (SMITH and MORGAN) 43

G

Galactose:
Glycogen formation and retention, effect (DEUEL, MACKAY, JEWEL, GULICK, and GRUNEWALD) 301
***d*-Galacturonic acid:**
p-Bromophenylhydrazine derivatives (NIEMANN, SCHOEFFEL, and LINK) 337
Phenylhydrazine derivatives (NIEMANN, SCHOEFFEL, and LINK) 337
Gas:
Analysis, respiration trials (KLEIBER) 583
Gingiva:
Lipids (HODGE) 55
Glomerulus:
Urine. VII (RICHARDS, BORDLEY, and WALKER) 179
VIII (BORDLEY and RICHARDS) 193
IX (WALKER and REISINGER) 223
X (WALKER) 239
Glomerulus—*continued:*
Urine. XI (BORDLEY, HENDRIX, and RICHARDS) 255
—, creatinine, frog (BORDLEY, HENDRIX, and RICHARDS) 255
—, inorganic phosphate, frog and *Necturus* (WALKER) 239
—, reducing substances, frog and *Necturus* (WALKER and REISINGER) 223
—, uric acid, snake and frog (BORDLEY and RICHARDS) 193
Glucose:
Absorption rate, intestine (MACKAY and BERGMAN) 453
Glycogen formation and retention, effect (DEUEL, MACKAY, JEWEL, GULICK, and GRUNEWALD) 301
Glucuron:
Diacetylchloro-, synthesis (GOEBEL and BABERS) 173
Glucuronic acid:
Derivatives. III (GOEBEL and BABERS) 173
Glutamic acid:
Peptide, physical constants (GREENSTEIN) 603
Glycine:
Salicylic acid conjugation with (QUICK) 475
Synthesis, muscle dystrophy, pseudohypertrophic (FREIBERG and WEST) 449

XUM

Glycogen:
Formation and retention, galactose effect (DEUEL, MACKAY, JEWEL, GULICK, and GRUNEWALD) 301
— — —, glucose effect (DEUEL, MACKAY, JEWEL, GULICK, and GRUNEWALD) 301
— — —, lactose effect (DEUEL, MACKAY, JEWEL, GULICK, and GRUNEWALD) 301
—, *l*-rhamnose ingestion effect (SILBERMAN and LEWIS) 741
Growth:
-Promoting properties, homocystine, cystine-deficient diet (DU VIGNEAUD, DYER, and HARMON) 719

H

Hemicellulose:
Mesquite wood (SANDS and GARY) 573
Hemocyanin:
Oxidation (CONANT, CHOW, and SCHOENBACH) 463
Hemoglobin:
Determination (HEINLE and BING) 369
Hexuronic acid(s):
Hydrazine derivatives, substituted, from (NIEMANN, SCHOEFFEL, and LINK) 337
Histidine:
Peptide, physical constants (GREENSTEIN) 603
Homocystine:
Chemical constitution (DU VIGNEAUD, DYER, and HARMON) 719
Growth-promoting properties, cystine-deficient diet (DU VIGNEAUD, DYER, and HARMON) 719

I

Inorganic salts:
Dehydration and recovery, balance (WILEY and WILEY) 83
Metabolism, ammonium chloride ingestion effect (WILEY, WILEY, and WALLER) 73
—, potassium chloride ingestion effect (WILEY, WILEY, and WALLER) 73
—, sodium bicarbonate ingestion effect (WILEY, WILEY, and WALLER) 73
—, sodium chloride ingestion effect (WILEY, WILEY, and WALLER) 73
Insulin:
Blood, amino acid nitrogen, effect (POWERS and REIS) 523
—, urea nitrogen, effect (POWERS and REIS) 523
Iodoacetic acid:
Yeast fermentation inhibition, sulfhydryl relation (SCHROEDER, WOODWARD, and PLATT) 133

XUM

Iron:
Anemia, nutritional, parenteral administration (EVELETH, BING, and MYERS) 359
Isooleic acid:
Hydrogenation, deposition, body (BARBOUR) 63
—, utilization, body (BARBOUR) 63
Isoouabain:
Degradation (JACOBS and BIGELOW) 15
Isopropylcarbinols:
Configurational relationship (LEVENE and MARKER) 413

K

Ketone substance:
Tissue, diabetes, production and destruction (GOLDFARB and HIMWICH) 441
Ketosis:
III (DEUEL, MACKAY, JEWEL, GULICK, and GRUNEWALD) 301

L

Lactic acid:
Blood, liver injury and (HAHN) 29
Lactose:
Glycogen formation and retention, effect (DEUEL, MACKAY, JEWEL, GULICK, and GRUNEWALD) 301
Light:
Carotene, fruit, effect (SMITH and MORGAN) 43
Light—*continued:*
Vitamin A, fruit, effect (SMITH and MORGAN) 43
Lipid(s):
Blood cell, white (BOYD) 623
— plasma, analysis, microoxidative (BOYD) 323
Gingival tissue (HODGE) 55
Tubercle bacillus, chemistry.
XXXII (PANGBORN and ANDERSON) 105
XXXIII (ANDERSON and NEWMAN) 499
XXXIV (ANDERSON and NEWMAN) 773
Lipoid phosphorus:
Determination (MAN and PETERS) 685
Liver:
Injury, blood lactic acid and (HAHN) 29
Lymph:
Aqueous humor, cerebrospinal fluid, and blood, comparison (WALKER) 269
Inorganic phosphate, frog and higher animals (WALKER) 269
Reducing substances, frog and higher animals (WALKER) 269
Urea, frog and higher animals (WALKER) 269
Uric acid, frog and higher animals (WALKER) 269

XUM

Lysine:
Peptides, nitrous acid, behavior (GREENSTEIN) 603
—, physical constants (GREENSTEIN) 603

M

***d*-Mannuronic acid:**
p-Bromophenylhydrazine derivatives (NIEMANN, SCHOEFFEL, and LINK) 337
Membrane:
Molecular sieve (BEUTNER, CAPLAN, and LOEHR) 391
Mesquite:
Wood, hemicelluloses (SANDS and GARY) 573
***dl*-Methionine:**
Absorption rate, gastrointestinal tract (CHASE and LEWIS) 735
Monoheterocyclic ring compounds:
5-Membered, antimony trichloride reaction (LEVINE and RICHMAN) 373
Muscle:
Dystrophy, pseudohypertrophic, glycine synthesis (FREIBERG and WEST) 449

N

Necturus:
Urine, glomerulus, inorganic phosphate (WALKER) 239
—, —, reducing substances (WALKER and REISINGER) 223
Nitrogen:
Amino acid, blood, determination (DANIELSON) 505
— —, —, insulin effect (POWERS and REIS) 523
Partition, proteins, bacilli, acid-fast, biological activity, relation (SEIBERT and MUNDAY) 763
Urea, blood, insulin effect (POWERS and REIS) 523
***n*-Nonacosane:**
Melting point (MARKLEY and SANDO) 431

O

Oleic acid:
Iso-, hydrogenation, deposition, body (BARBOUR) 63
—, —, utilization, body (BARBOUR) 63
Ouabain:
II (JACOBS and BIGELOW) 15
Iso-, degradation (JACOBS and BIGELOW) 15
Oxidation-reduction:
Systems, biological action (FISHBERG and DOLIN) 159

P

Pentose:
Metabolism. III (SILBERMAN and LEWIS) 741
Peptide(s):
Amino acids, trivalent. III (GREENSTEIN) 603

Peptide(s)—*continued:*
Arginine, physical constants (GREENSTEIN) 603
Aspartic acid, physical constants (GREENSTEIN) 603
Glutamic acid, physical constants (GREENSTEIN) 603
Histidine, physical constants (GREENSTEIN) 603
Lysine, nitrous acid, behavior (GREENSTEIN) 603
—, physical constants (GREENSTEIN) 603
Tyrosine, physical constants (GREENSTEIN) 603
Periplogenin:
Trianhydro- (JACOBS and BIGELOW) 697
Phenylacetic acid:
Detoxication (AMBROSE, POWER, and SHERWIN) 669
Phenylhydrazine:
p-Bromo-, derivatives, *d*-galacturonic acid (NIEMANN, SCHOEFFEL, and LINK) 337
—, —, *d*-mannuronic acid (NIEMANN, SCHOEFFEL, and LINK) 337
Derivatives, *d*-galacturonic acid (NIEMANN, SCHOEFFEL, and LINK) 337
Phlorhizin:
Action (WALKER and REISINGER) 223
Phosphatase:
II (BODANSKY) 93
Blood serum, determination (BODANSKY) 93
Phosphatase—*continued:*
Tissue extracts, activity, measurement (BAKWIN and BODANSKY) 641
Phosphate(s):
Blood (SAHYUN) 295
Inorganic, aqueous humor, frog and higher animals (WALKER) 269
—, blood, frog and higher animals (WALKER) 269
—, cerebrospinal fluid, frog and higher animals (WALKER) 269
—, lymph, frog and higher animals (WALKER) 269
—, urine, glomerulus, frog and *Necturus* (WALKER) 239
Phosphorus:
Lipoid. *See* Lipoid phosphorus.
Pigment:
Isolation, tubercle bacillus, human, acetone-soluble fat (ANDERSON and NEWMAN) 773
Pituitary:
-Like hormone, anterior, urine, pregnancy, separation (ELDEN) 1
Potassium:
Tissue, thyroparathyroidectomy effect (UNDERHILL and JALESKI) 11
Potassium chloride:
Inorganic salts, metabolism, ingestion effect (WILEY, WILEY, and WALLER) 73

XUM

Potassium chloride—*continued:*
Water metabolism, ingestion effect (WILEY, WILEY, and WALLER) 73
Pregnancy:
Urine, pituitary-like hormone, anterior, separation (ELDEN) 1
Protein(s):
Bacilli, acid-fast, nitrogen partition, biological activity, relation (SEIBERT and MUNDAY) 763
Digestibility *in vitro.* V (JONES and GERSDORFF) 657

R

Reducing substances:
Aqueous humor, frog and higher animals (WALKER) 269
Blood, frog and higher animals (WALKER) 269
Cerebrospinal fluid, frog and higher animals (WALKER) 269
Lymph, frog and higher animals (WALKER) 269
Urine, glomerulus, frog and *Necturus* (WALKER and REISINGER) 223
Respiration:
Chamber, air analysis (CARPENTER) 595
Trials, gas analysis (KLEIBER) 583
***l*-Rhamnose:**
Absorption rate (SILBERMAN and LEWIS) 741
Glycogen formation, ingestion effect (SILBERMAN and LEWIS) 741
Ribosephosphoric acid:
Yeast adenylic acid, formation (LEVENE and HARRIS) 419

S

Salicylic acid:
Conjugation, uric acid excretion, effect (QUICK) 475
— with glycine (QUICK) 475
Shaffer-Somogyi:
Copper reagent (HARDING and DOWNS) 487
Snake:
Urine, glomerulus, uric acid (BORDLEY and RICHARDS) 193
Sodium bicarbonate:
Inorganic salts, metabolism, ingestion effect (WILEY, WILEY, and WALLER) 73
Water metabolism, ingestion effect (WILEY, WILEY, and WALLER) 73
Sodium chloride:
Inorganic salts, metabolism, ingestion effect (WILEY, WILEY, and WALLER) 73
Water metabolism, ingestion effect (WILEY, WILEY, and WALLER) 73
Stomach:
Gastric secretion, urine alkaline tide, relation (HUBBARD, MUNFORD, and TYNER) 781

XUM

Sulfhydryl:
Yeast fermentation inhibition, iodoacetic acid, relation (SCHROEDER, WOODWARD, and PLATT) 133
Sulfinic acid:
Formation, cysteine oxidation with iodine (SIMONSEN) 35
Sulfur:
Compounds, absorption, intestinal loops (ANDREWS and JOHNSTON) 635
Metabolism. XX (CHASE and LEWIS) 735

T

Theelin:
Oxidation (MACCORQUODALE, LEVIN, THAYER, and DOISY) 753
Theelol:
Derivatives, oxidation (MACCORQUODALE, LEVIN, THAYER, and DOISY) 753
Thyroglobulin:
Preparation and properties (HEIDELBERGER and PALMER) 433
Thyroparathyroidectomy:
Tissue calcium, effect (UNDERHILL and JALESKI) 11
— potassium, effect (UNDERHILL and JALESKI) 11
Timothy-grass:
Bacillus, trehalose isolation (PANGBORN and ANDERSON) 105
Tooth:
Fluoride feeding, effect (SMITH and LANTZ) 677
Trehalose:
Isolation, timothy-grass bacillus (PANGBORN and ANDERSON) 105
—, tubercle bacillus, human, acetone-soluble fat (ANDERSON and NEWMAN) 499
Trianhydroperiplogenin:
(JACOBS and BIGELOW) 697
Tubercle bacillus:
Human, anisic acid isolation, acetone-soluble fat (ANDERSON and NEWMAN) 773
—, pigment isolation, acetone-soluble fat (ANDERSON and NEWMAN) 773
—, trehalose isolation, acetone-soluble fat (ANDERSON and NEWMAN) 499
Lipids, chemistry. XXXII (PANGBORN and ANDERSON) 105
XXXIII (ANDERSON and NEWMAN) 499
XXXIV (ANDERSON and NEWMAN) 773
Tuberculin:
Active principle, chemical composition. XVII (SEIBERT and MUNDAY) 763
Tyrosine:
Peptide, physical constants (GREENSTEIN) 603

XUM

U

Urea:
Aqueous humor, frog and higher animals (Walker) 269
Blood, frog and higher animals (Walker) 269
— plasma cholesterol, ingestion effect (Bruger and Poindexter) 21
Cerebrospinal fluid, frog and higher animals (Walker) 269
Lymph, frog and higher animals (Walker) 269
Nitrogen, blood, insulin effect (Powers and Reis) 523

Uric acid:
Aqueous humor, frog and higher animals (Walker) 269
Blood, determination (Folin) 111
—, frog and higher animals (Walker) 269
Cerebrospinal fluid, frog and higher animals (Walker) 269
Excretion, salicylic acid conjugation effect (Quick) 475
Lymph, frog and higher animals (Walker) 269
Urine, determination (Folin) 111
—, glomerulus, snake and frog (Bordley and Richards) 193

Uridine:
Ring structure (Levene and Tipson) 529

Urine:
Glomerulus. VII (Richards, Bordley, and Walker) 179
VIII (Bordley and Richards) 193
IX (Walker and Reisinger) 223
X (Walker) 239
XI (Bordley, Hendrix, and Richards) 255
—, creatinine, frog (Bordley, Hendrix, and Richards) 255
—, inorganic phosphate, frog and *Necturus* (Walker) 239
—, reducing substances, frog and *Necturus* (Walker and Reisinger) 223
—, uric acid, snake and frog (Bordley and Richards) 193
Pregnancy, pituitary-like hormone, anterior, separation (Elden) 1

V

Vitamin(s):
A, butter (Baumann and Steenbock) 547
—, — fat (Shrewsbury and Kraybill) 701
—, fruit, light effect (Smith and Morgan) 43
Fat-soluble. XXXVI (Baumann and Steenbock) 547
XXXVII (Baumann and Steenbock) 561

W

Water:

Blood plasma cholesterol, ingestion effect (BRUGER and POINDEXTER) 21

Metabolism, ammonium chloride ingestion effect (WILEY, WILEY, and WALLER) 73

—, potassium chloride ingestion effect (WILEY, WILEY, and WALLER) 73

—, sodium bicarbonate ingestion effect (WILEY, WILEY, and WALLER) 73

—, — chloride ingestion effect (WILEY, WILEY, and WALLER) 73

X

***l*-Xyloketose:**

Urine, detection and determination (LASKER and ENKLEWITZ) 289

Y

Yeast:

Adenylic acid, ribosephosphoric acid from (LEVENE and HARRIS) 419

Fermentation, iodoacetic acid inhibition, sulfhydryl relation (SCHROEDER, WOODWARD, and PLATT) 133

XUM